

MATERIAL SAFETY DATA SHEET (SUBSTITUTES FOR OSHA FORM 174): May be used to comply with OSHA's Hazard Communication Standard, 29 CFR 1910.1200.

PRODUCT NUMBER: 205
IDENTITY: CHARGE

Revision Date: 01/08/2003

Section I

Manufacturer's Name: QUEST CHEMICAL CORPORATION Telephone Numbers:
Address: 12255 FM 529 Emergency:
NORTHWOODS INDUSTRIAL PARK 800/255-3924
HOUSTON Information:
State: TX Zip Code: 77041 713/8968188

HMIS CODES: REACTIVITY: 1 FLAMMABILITY: 2 HEALTH: 1 PERSONAL PROTECT: A

Section II: HAZARDOUS INGREDIENTS/IDENTITY INFORMATION (All of the ingredients contained in this product are listed on the TSCA inventory.)

Name	Cas No.	OSHA PEL	ACGIH TLV	OTHER LIM	%
1,8-P-MENTHADIENE	5989-27-5	NE	NE	N/A	___
CARBON DIOXIDE	124-38-9	5000 PPM	5000 PPM	N/A	___
PROPANE/N-BUTANE	68476-86-8	1000 PPM	600 PPM	N/A	___
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____
_____	_____	_____	_____	_____	_____

Section III: PHYSICAL/CHEMICAL CHARACTERISTICS

Boiling Point: 352 F Specific Gravity (water=1) 0.85
Vapor Pressure (mm Hg) 2 Melting Point: N/A
Vapor Density (AIR=1) 4.7 Evaporation Rate: 1
Solubility in Water: 100 (Butyl Acetate=1)
Appearance and Odor: CITRUS ODOR, CLEAR

Section IV: FIRE AND EXPLOSION HAZARD DATA

Flash Point (Method Used): 155 F TCC Flammable Limits: LEL: .7 UEL: 6.1
Extinguishing Media: STANDARD CHEMICAL FIRE EXTINGUISHER.
Special Fire Fighting Procedures: CLASS B FIRE PROCEDURES

Unusual Fire and Explosion Hazards: COMBUSTIBLE LIQUID. KEEP AWAY FROM HEAT, SPARKS, AND OPEN FLAMES. FLASH POINT IS BASED ON LIQUID LESS PROPELLANT. CONTENTS UNDER PRESSURE. KEEP AWAY FROM HEAT, SPARKS, OPEN FLAME

