

MATERIAL SAFETY DATA SHEET - **STIC-O-STEEL POW-R PUTTY**

MSDS0551
Ver. No.1
Ver. Date January 1, 2002

SECTION 1 CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: STIC-O-STEEL POW-R PUTTY
PRODUCT CODES: SS2, SS4, SS24, SS412

CHEMICAL FAMILY: Organic
USE: Epoxy Adhesive
MANUFACTURER / SUPPLIER
Access-Able Technologies, Inc.
1275 Bennett Drive, Suite 115
Longwood, FL 32750

EMERGENCY TELEPHONE NUMBERS:
Access-Able Technologies, Inc (800) 572-4894

SECTION 2 COMPOSITION / INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS	CAS NO.	%	APPROX				HMIS	NFPA
			OSHA PEL	ACGIH TLV	OTHER LIMITS			
DMP	90-72-2	--	N/D	N/D	N/D	N/D	N/D	
Epoxy Resin	25068-38-6	--	N/D	N/D	N/D	N/D	N/D	
Mercaptan Terminated Polymer	*679485-5016P	--	N/D	N/D	N/D	N/D	N/D	

* New Jersey Trade Secret Registration Number

SECTION 3 HAZARDS IDENTIFICATION

SUMMARY OF ACUTE HAZARDS Prolonged skin or eye exposure may cause irritation, sensitization.

ROUTE OF EXPOSURE	SIGNS AND SYMPTOMS	PRIMARY ROUTE(S)
INHALATION:	N/A	No
EYE CONTACT:	Severe irritation.	Yes
SKIN CONTACT:	May cause irritation.	Yes
INGESTION:	Nausea.	Yes

SUMMARY OF CHRONIC HAZARDS: Prolonged skin or eye exposure may cause irritation, sensitization.
MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: N/A

SECTION 4 FIRST AID MEASURES

INHALATION: N/A
EYE CONTACT: Flush with large amounts of water for 15 minutes. Seek medical attention.
SKIN CONTACT: Wash with soap and water. If irritation persists, seek medical attention.
INGESTION: Give large amounts of water. Induce vomiting. If unconscious, do not give anything by mouth or induce vomiting. Seek medical attention.

SECTION 5 FIRE FIGHTING MEASURES

FLASH POINT: N/A
EXTINGUISHING MEDIA: Water spray, foam, CO₂, dry chemical.
SPECIAL FIRE FIGHTING PROCEDURES: Wear SCBA and protective clothing.
UNUSUAL FIRE AND EXPLOSION HAZARDS: May generate toxic or irritating fumes.
FLAMMABILITY LIMITS: LEL: N/A UEL: N/A

SECTION 6 ACCIDENTAL RELEASE MEASURES

STEPS TO BE TAKEN IN CASE MATERIAL IS RELEASED OR SPILLED: Pick up spilled paste to prevent disposal in sewers, waterways, or soil.
Wear chemical resistant gloves.

SECTION 7 STORAGE AND HANDLING

PRECAUTIONS TO BE TAKEN IN HANDLING AND STORING: Keep container closed and upright when not in use. Do not store near heat, sparks, or open flames.
OTHER PRECAUTIONS: Avoid prolonged or repeated contact with skin or clothing. Empty containers may contain product residues and vapors; treat as if full and observe all product precautions. Do not reuse empty containers. **KEEP OUT OF REACH OF CHILDREN.**

SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

RESPIRATORY PROTECTION (SPECIFY TYPE): None.
VENTILATION – LOCAL EXHAUST: Acceptable
MECHANICAL (GENERAL): N/A
PROTECTIVE GLOVES: Polyethylene
OTHER PROTECTIVE CLOTHING OR EQUIPMENT: N/A
WORK/HYGIENIC PRACTICES: Where use can result in skin contact, wash exposed areas thoroughly before eating, drinking, smoking or leaving work area. Launder contaminated clothing before reuse.
SPECIAL: N/A
OTHER: N/A
EYE PROTECTION: Goggles

MATERIAL SAFETY DATA SHEET - **STIC-O-STEEL POW-R PUTTY**

MSDS0551
Ver. No.1
Ver. Date January 1, 2002

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

BOILING POINT: N/D
VAPOR PRESSURE (mm Hg): N/D
VAPOR DENSITY (AIR = 1): N/D
SOLUBILITY IN WATER: Negligible

SPECIFIC GRAVITY (H₂O = 1): 1.9
MELTING POINT: N/D
EVAPORATION RATE (ETHYL ACETATE = 1): N/D
APPEARANCE/ODOR: Grey or White Semi-Solid / Slight Mercaptan

SECTION 10 STABILITY AND REACTIVITY

STABILITY: Stable.
CONDITIONS TO AVOID: None.
INCOMPATIBILITY (MATERIALS TO AVOID): Oxidizers.
HAZARDOUS DECOMPOSITION PRODUCTS: Aldehydes, acids, CO, sulfur oxides.
HAZARDOUS POLYMERIZATION: Will not occur.

SECTION 11 TOXICOLOGY INFORMATION

CARCINOGENICITY: NTP: No IARC MONOGRAPHS: No OSHA REGULATED: No

<u>SUBSTANCE</u>	<u>LD50</u>	<u>LC50</u>
DMP	N/D	N/D
Epoxy Resin	N/D	N/D
Mercaptan Terminated Polymer	N/D	N/D

SECTION 12 ECOLOGICAL INFORMATION

<u>SUBSTANCE</u>	<u>FOOD CHAIN CON POTENTIAL</u>	<u>WATERFOWL TOXICITY</u>	<u>BOD</u>	<u>AQUATIC TOXICITY</u>
DMP	N/D	N/D	N/D	N/D
Epoxy Resin	N/D	N/D	N/D	N/D
Mercaptan Terminated Polymer	N/D	N/D	N/D	N/D

SECTION 13 DISPOSAL CONSIDERATIONS

WASTE DISPOSAL METHOD: Dispose of absorbed materials and liquid waste in accordance with all local, state, and federal regulations.

SECTION 14 TRANSPORTATION INFORMATION

DOT: Non-Regulated
OCEAN (IMDG): Non-Regulated
AIR (IATA): Non-Regulated
WHMIS (CANADA): Non-Regulated

SECTION 15 REGULATORY INFORMATION

<u>SUBSTANCE</u>	<u>SARA 313</u>	<u>TSCA INVENTORY</u>	<u>CERCLA RQ</u>	<u>RCRA CODE</u>
DMP	No	Yes	N/A	N/A
Epoxy Resin	No	Yes	N/A	N/A
Mercaptan Terminated Polymer	No	Yes	N/A	N/A

SECTION 16 OTHER INFORMATION

This document is prepared pursuant to the OSHA Hazardous Communication Standard (29 CFR 1910.1200). The information herein is given in good faith, but no warranty, express or implied is made. Consult Access-Able Technologies, Inc. for further information: (800) 572-4894